## AMENDED CLAIMS

This listing will replace all prior versions of the claims in the application.

## We claim:

- 1. (cancelled)
- 2. (cancelled)
- 3. (cancelled)
- 4. (currently amended) A laser device comprising:
  - a) a plurality of laser energy sources housed within a hand-held wand for generating a plurality of laser beams in which at least a first laser beam is a cool color and at least a second laser beam is a warm color and wherein at least two of the laser beams are emitted substantially simultaneously; and
  - b) an optical arrangement for receiving at least one laser beam and for transforming at least one laser beam into a desired spot shape, wherein the desired spot shape is substantially linear.
- 5. (cancelled)
- 6. (cancelled)
- 7. (cancelled)
- 8. (cancelled)
- 9. (cancelled)
- 10. (currently amended) A laser device comprising:
  - a plurality of laser energy sources for generating a plurality of laser beams in which at least a first laser beam is a cool color and at least a second laser beam is a warm color;
  - b) a wand from which the laser beams emit, the wand housing the laser energy sources within and being capable of being retained in a hand of a user and freely moved relative to the surface of the skin of a patient; and

- an optical arrangement attached to the wand for receiving the laser beams and for transforming each of the laser beams into a desired spot shape;
- wherein at least two of the laser beams are emitted <u>substantially</u> simultaneously.
- 11. (cancelled)
- 12. (cancelled)
- 13. (cancelled)
- 14. (previously amended) A device according to claim 10 wherein at least one of the spot shapes is substantially linear.
- 15. (previously amended) A device according to claim 10 further comprising a first laser beam having a first spot shape and a second laser beam having a second spot shape wherein the first spot shape is substantially linear and the second spot shape is circular.
- 16. (previously amended) A device according to claim10 further comprising a control circuit for controlling the pulse frequency of each laser beam.
- 17. (original) A device according to claim 16 wherein the pulse frequency of at least one of the laser beams is such that the laser light emitted is substantially continuous.
- 18. (original) A device according to claim 16 further comprising a first laser beam having a first pulse frequency and a second laser beam having a second pulse frequency wherein the first pulse frequency is such that the laser light emitted is substantially continuous and the second pulse frequency is not zero.
- 19. (original) A device according to claim 16 wherein the pulse frequency of the second laser beam is less than 100,000 Hz.
- 20. (previously amended) A laser device comprising:
  - a) a plurality of laser energy sources for generating a plurality of laser beams in which at least a first laser beam is a cool color and at least a second laser beam is a warm color;

- b) an arm which houses the plurality of laser energy sources and from which the laser beams emit, the arm being capable of being freely positionable in the x-, y-, and z-axes; and
- c) an optical arrangement attached to the arm for receiving the laser beams and for transforming each of the laser beams into a desired spot shape.
- 21. (original) The device according to claim 20 in which the first laser beam is green.
- 22. (previously amended) The device according to claim 20 in which the second laser beam is red.
- 23. (currently amended) A device according to claim 20 wherein at least two of the laser beams are emitted <u>substantially</u> simultaneously.
- 24. (original) A device according to claim 20 further comprising a controller for independently controlling the generation of laser energy by each of the plurality of laser energy sources.
- 25. (original) A device according to claim 20 wherein each of the laser energy sources is less than one watt.
- 26. (original) A device according to claim 20 wherein at least one of the laser energy sources is a semiconductor diode.
- 27. (original) A device according to claim 20 wherein at least one of the spot shapes is substantially linear.
- 28. (original) A device according to claim 20 further comprising a first laser beam having a first spot shape and a second laser beam having a second spot shape wherein the first spot shape is substantially linear and the second spot shape is circular.
- 29. (previously amended) A device according to claim 20 further comprising a control circuit for controlling a pulse frequency of each laser beam.
- 30. (cancelled)
- 31. (original) A device according to claim 20 further comprising a first laser beam having a first pulse frequency and a second laser beam having a second pulse frequency wherein the first pulse frequency is such that the

Response to Office Action S/N 10/772973

- laser light emitted is substantially continuous and the second pulse frequency is not zero.
- 32. (previously amended) A device according to claim 31 wherein the pulse frequency of the second laser beam is less than 100,000 Hz.
- 33. (cancelled)